# Variance Estimation for Product Sales in the 2017 Economic Census: Utilizing Multiple Imputation to Account for Sampling and Imputation Variance

Matthew Thompson Katherine J. Thompson

U.S. Census Bureau\*
GASP! Workshop
August 24-25, 2018

\*The views expressed in this presentation are those of the authors and not necessarily those of the U.S. Census Bureau



#### **Economic Census Background**

- Not strictly a census
  - Multi-units and large single-units selected with certainty
  - Small single-units sampled

# Economic Census Background Data Items Collected


#### "General Statistics"

- Examples: Total receipts, Annual payroll, and 1<sup>st</sup> Quarter employment
- Complete universe created using administrative records and imputation

#### **Product Sales**

- Only asked of sampled establishments
- Sample weights used to account for non-sampled establishments
- Two types: broad and detail
- Final product sales estimates are produced by calibration to stratum-level receipt totals

# Economic Census Background Product Sales Data



### Research Challenges

- Dedicated Team
  - Short time frame (≈ 12-15 months)
  - Relative inexperience of team members with variance estimation
- Magnitude of the problem
  - $\approx$  1,000 industries and  $\approx$  8,000 products
- Historical data limitations
  - Classification differences (to NAPCS)
  - Collection differences (to electronic)
  - Unit collection differences (from varied to \$1,000)

#### Research Team

#### Research Team

- ≈ 1,000 industries
- ≈ 8,000 products
  - Broad products
  - Detail products
- Calibration Weighting (i.e., poststratification)

#### Research Team

#### Research Team

- $\approx$  1,000 industries
- ≈ 8,000 products
  - Broad products
  - Detail products
- Calibration Weighting (i.e., poststratification)

#### Research Team

- $\approx \frac{1,000}{21}$  industries
- ≈ <del>8,000</del> Top 4 products
  - Broad products
  - Detail products
- Calibration Weighting (i.e., poststratification)


#### Research Evaluation

#### Perform simulation studies

- Two initial studies
  - Sampling Variance (Recommend: FPBB)
  - Variance Due to Imputation (Recommend: ABB)
- Final simulation of recommended method

Recommendation: FPBB-ABB

# Finite Population Bayesian Bootstrap (FPBB)




# Finite Population Bayesian Bootstrap (FPBB)

• Create an implicate by drawing  $N_h - n_h$  establishments from the sample with probability for the kth selection

$$p_{h,k} = \frac{\left(w_i - 1 + \frac{l_{i,k-1}(N_h - n_h)}{n_h}\right)}{N_h - n_h + \frac{(k_h - 1)(N_h - n_h)}{n_h}}$$

• Add the  $N_h - n_h$  selected establishments to the original sample to complete the implicate

# Approximate Bayesian Bootstrap (ABB)



#### **FPBB-ABB**

The FPBB-ABB estimate of variance is

$$\hat{V}_{final} = \hat{V}_{samp} + \frac{1}{B}\hat{V}_{imp}$$

$$\widehat{V}_{samp} = \left(1 + \frac{1}{B}\right) \left(\frac{1}{B-1}\right) \sum_{b=1}^{B} [FPBBAVG_b - AVG]^2$$

$$\widehat{V}_{imp} = \left(1 + \frac{1}{c}\right) \left(\frac{1}{c-1}\right) \sum_{b=1}^{B} \sum_{c=1}^{C} \left[TOT_{b,c} - FPBBAVG_{b}\right]^{2}$$

- B is the number of FPBB implicates
- C is the number of ABB implicates

#### Implementation Team

#### Research Team

- 1,000 21 industries
- 8,000 <u>Top 4</u> products
  - Broad products
  - Detail products
- Calibration Weighting (i.e., poststratification)

#### **Implementation Team**

- $\approx$  1,000 industries
- ≈ 8,000 products
  - Broad products
  - Detail products
- Calibration Weighting (i.e., poststratification)
- "Non-donors"
- Zero Receipts cases
- Processing time ...


#### Implementation Concerns

- Time
  - To prepare the system
  - Variance Estimation run time

 Knowledge transfer from research team to production programmers and methodologists


Inflexibility of existing systems


#### Implementation Team





- Overlap
  - Research team leads
  - SAS programmer
  - Project Managers w/ functional requirements
- New members
  - Subject Matter Experts
  - Programmers
  - Methodologists





















#### Inflexibility of Existing Systems



#### Inflexibility of Existing Systems

Existing HDI process fixed:

- Imputation method by imputation cell Random or NN
- Cell collapsing methodology

Handling of detailed products

#### Conclusions

- Plan ahead Involving potential implementation team members in the later phases of research can be a <u>huge</u> benefit
- Leverage existing resources Give careful thought to areas where existing programs and data can be utilized
- Make sure existing systems are well documented and well understood.

### Acknowledgments

Thanks to all of the members of the research and implementation teams.

Contact: matthew.thompson@census.gov